

## PRODUCT COMPLIANCE SCHEDULE

## LITTLE GIANT LADDERS LLC

MANUFACTURING ADDRESS: 2 Fuyuan Road, Xiangcheng Section, Suzhou, Jiangsu, China 215133.

This schedule identifies the Certified Product(s) on which the PAS-Mark and CSi Licence Number may be used.

## AS 1892.1:2018 PORTABLE LADDERS. Part 1: Performance and geometric requirements

KING COMBO 2.0 (INDUSTRIAL)	
Model No.	13905-447 5' - 13906-447 6' - 13908-447 8'
Duty Rating.	INDUSTRIAL
Maximum Rated Load.	150kg
Weather Resistance.	Rating range: 5 Classification: Weather resistant fiberglass
Stability Rating.	Higher Stability – flared legs
A.C. Dielectrical Strength.	Not less than 25,000 V
D.C. Current Leakage.	Does not exceed 90 mA
Working Length: Closed	13905-447 5' 5' 1" or 1.54 Meters
	13906-447 6' 6'1" or 1.85 Meters
	13908-446 8' 8' 1" or 2.46 Meters
	10000 1100 0 1 01 2110 1110101
Working Length: Maximum	13905-447 5' 8' or 2.43 Meters
	13906-447 6' 10' or 3 Meters
	13908-447 8' 14' or 4.26 Meters
Description.	KING KOMBO 2' self-supporting portable fibreglass, 5 step, One-handed Grip-N-Go hinge, with the rotating wall pad,3-in-1 extension ladder, leaning ladder and stepladder combination of which the back section is fitted with rungs, and which can be further adjusted to provide an extension of the front section as a non-self-supporting portable ladder (in extension position).
Australasia Importer.	LAMFORD INVESTMENTS PTY LTD
	LITTLE GIANT LADDERS AUSTRALIA
<u></u>	STAFFY LIMITED

This schedule supersedes any previously issued schedule

CSi Licence Number:7231Certification Review Date:16 May 2025Certification Issue Date:17 May 2025Next Annual Review Date:21 May 2026Certification Expiry Date:21 May 2026CSi Database ID Number:1000265

**CSi Schedule Number:** CSi Lic No. 7231 – 2026 – 05 – S8-R0









The current validity of this document should be checked by contacting <a href="mailto:admin@csi-certification.com">admin@csi-certification.com</a>
This document is the property of CSi and must be returned to CSi upon its request. This document may only be reproduced in its entirety.